

Amendments to the Claims:

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A control device that controls a fuel cell system to operate intermittently by switching between a power generation state and a power generation stop state of a fuel cell, wherein

~~it is determined~~ the control device is configured to:

determine whether to stop power generation operation during intermittent operation based on at least a temperature of a specific component that is external to the fuel cell and that contains moisture, from among a plurality of components constituting the fuel cell system while operation of the fuel cell system is being carried out, and

to continue the power generation state when it is determined not to stop power generation, and

the temperature of the specific component is measured while the operation of the fuel cell system is being carried out.

2. (Previously Presented) The control device according to claim 1, wherein the specific component is at least one of a valve, a passage, and a humidifier arranged on a flow path for a fuel gas or an oxidizing gas.

3. (Previously Presented) The control device according to claim 1, wherein the temperature of the specific component is measured directly by a temperature sensor provided corresponding to the specific component.

4. (Previously Presented) The control device according to claim 1, wherein the temperature of the specific component is measured indirectly based on at least one of either an operating state of the fuel cell system or an external air temperature.

5. (Currently Amended) The control device according to claim 4, wherein in determining whether to stop or not, when it is determined to not stop, the control device is further configured to control the power generation state of the fuel cell system ~~is controlled~~ so that the measured temperature exceeds a threshold value.

6. (Currently Amended) A fuel cell system having a control device that controls the fuel cell system to operate intermittently by switching between a power generation state and a power generation stop state of a fuel cell, the fuel cell system comprising:

means for determining a risk of freezing of a specific component that is external to the fuel cell and that contains moisture, from among a plurality of components constituting the fuel cell system; and

control means that is configured to forbid ~~intermittent operation~~ the switching from the power generation state to the power generation stop state and to continue the power generation state when it is determined that the risk of freezing is high, wherein

the means for determining determines the risk of freezing while the operation of the fuel cell system is being carried out.

7. (Currently Amended) A fuel cell system comprising,
~~_____ a fuel cell which serves as a first electrical power supply source to a consumption device which consumes electrical power;~~
an electricity storage device that stores electrical power generated by ~~the~~ a fuel cell, ~~which serves~~ the electrical storage device serving as a second ~~first~~ electrical power supply source to ~~the~~ a consumption device which consumes electrical power; ~~and, the fuel cell serving as a second electrical power supply source to the consumption device which consumes electrical power; and~~

the control device according to claim 1,

wherein the fuel cell system operates intermittently by switching between the power generation state and the power generation stop state of the fuel cell.

8. (Original) A fuel cell hybrid vehicle comprising the fuel cell system according to claim 7.